

183 the laser source is controllable by means of an electrical control unit, which control unit during operation determines the target position of the laser beam as a function of a position and/or orientation on the skin of a hair to be removed as determined from the image by the control unit, and which control unit activates the laser source the moment the laser beam manipulator is in a position which corresponds to the target position of the laser beam.

25 Cont 2. (Amended) A hair-removing device as claimed in claim 1, [characterized in that] wherein the control unit determines the target position of the laser beam in a partial region of the image having dimensions which are determined by a previously determined average distance between hairs present on the skin and a previously determined length of the hairs.

3. (Amended) A hair-removing device as claimed in claim 2, [characterized in that] wherein the dimensions of the partial region of the image are adjustable.

4. (Amended) A hair-removing device as claimed in claim 2, [characterized in that] wherein the laser beam manipulator is adjustable by means of the control unit into a sequence of consecutive positions which correspond to a regular sequence of virtual positions of the laser beam on said portion of the skin, a reference position in the partial region of the image corresponding to the instantaneous virtual position of the laser beam, and the control unit activating the laser source when the reference position corresponds to the target position of the laser beam.

5. (Amended) A hair-removing device as claimed in claim 2, [characterized in that] wherein the control unit determines the



which coincides substantially with a perpendicular projection of the hair to be removed on the skin, the control unit activating the laser source in each of said fixed positions of the laser beam manipulator during a predetermined time.

9. (Amended) A hair-removing device as claimed in claim 1, [characterized in that] wherein the control unit determines an exit position on the hair, where the hair issues from the skin, from the position and orientation on the skin of the hair to be removed as determined from the image, the control unit equalizing the target position of the laser beam with a position on the hair adjacent said exit position.

10. (Amended) A hair-removing device as claimed in claim 1, [characterized in that] wherein the hair-removing device comprises a separate illumination member for illuminating at least the portion of the skin which is to be detected by the image sensor.

11. (Amended) A hair-removing device as claimed in claim 1, [characterized in that] wherein the control unit determines from the image a reflection spectrum of the skin portion detected by the image sensor, the control unit comparing the reflection spectrum with a predetermined reference spectrum of at least one frequently occurring skin deviation, while the control unit determines from said comparison positions on the skin in which said skin deviation is present and does not activate the laser source in said positions on the skin.

12. (Amended) A hair-removing device as claimed in claim 1, [characterized in that] wherein the control unit comprises means